UNITY Cylinder Lock Set

UNITY Hardware Ltd.

Cylinder Lock Set


UNITY Cylinder Lock Set is designed for residential / light commercial application. With both Mortise lock and Euro Cylinder included in a single packaging, it gives the benefit of installation convenience and total compatibility.

Key Features of UNITY Cylinder Lock Set:

- Packed in a single UNITY box
- Cylinder size options for different door thickness*
- Various finish options

01

- Various mortice lock backset options
- Fully tested to relevant EN standards**
- * Suitable for 35 48mm door thickness
- ** Mortise Lock tested to EN12209 and Cylinder tested to EN1303



Finish Options (Forend / Strike):

- Satin Nickel (SN)
- Antique Brass (AB)
- Polished Brass (PB)
- Satin Stainless Steel (SS)

Backset Options:

40mm, 45mm, 50mm, 60mm

Specifications and Features:

- Tested to EN12209
- Durable Brass Latchbolt
- Solid Steel Deadbolt
- Sintered Steel Follower
- Forend and Strike available in Steel or Stainless Steel
- Easy reversible latchbolt for non-handed installation
- Double throw deadbolt for extra security
- Through bolt fixing holes for use with bolt through fixed lever on rose
- Close case design




02

UNITY Hardware Ltd.




ltem No.	Backset	Description	Finish
40SN	40mm	UNITY 85 x 40mm Mortise Lock, Satin Nickel	Satin Nickel (SN)
45SN	45mm	UNITY 85 x 45mm Mortise Lock, Satin Nickel	Satin Nickel (SN)
50SN	50mm	UNITY 85 x 50mm Mortise Lock, Satin Nickel	Satin Nickel (SN)
60SN	60mm	UNITY 85 x 60mm Mortise Lock, Satin Nickel	Satin Nickel (SN)



C	ltem No.	Backset	Description	Finish
	40AB	40mm	UNITY 85 x 40mm Mortise Lock, Antique Brass	Antique Brass (AB)
•	45AB	45mm	UNITY 85 x 45mm Mortise Lock, Antique Brass	Antique Brass (AB)
	50AB	50mm	UNITY 85 x 50mm Mortise Lock, Antique Brass	Antique Brass (AB)
	60AB	60mm	UNITY 85 x 60mm Mortise Lock, Antique Brass	Antique Brass (AB)

	ltem No.	Backset	Description	Finish
	40SS	40mm	UNITY 85 x 40mm Mortise Lock, Satin Stainless Steel	Satin Stainless Steel (SS)
•	45SS	45mm	UNITY 85 x 45mm Mortise Lock, Satin Stainless Steel	Satin Stainless Steel (SS)
	50SS	50mm	UNITY 85 x 50mm Mortise Lock, Satin Stainless Steel	Satin Stainless Steel (SS)
X	60SS	60mm	UNITY 85 x 60mm Mortise Lock, Satin Stainless Steel	Satin Stainless Steel (SS)

03



Finish Options:

- Satin Nickel (SN)
- Antique Brass (AB)
- Polished Brass (PB)

Available Function:



Double Cylinder



Specifications and Features:

- EN1303 tested
- Brass body and housing for durable application
- 5 pins construction
- 3 x Solid Brass Keys
- Available in 60mm (30/30mm) and 70mm (35mm/35mm) to cover most common door thickness (35mm 48mm)
- Available only with key differ and packed with the Unity Mortise Lock


WV03310 Unded Kin			T . +++ (0) 190 F . +++ (0) 190 E :int-@cove W: www.a.sova	2 727242					(OVO)	Tinglonapt
Testing	g. Advisin	g. Assi	iring.						Ĥ	Mar
_			5	SUMN	IARY C	OF RE	SULTS	6		
This is	to certify	that sa	mples of:	UN-EC S	eries fitted	d with UN	-SESS2-CF	Security	Escutche	on
Manut	factured by	<i>c</i>	1	Unity Ha	rdware Ltd					
					rdance with					
navel	been succ	esstuli								
Classi	fication ac	hieved	EN 1303:	2005 - E	uliding har	rdware -	Cylinders	for locks		
		Aepry		0.var	fie.	Salata	Convision	Ker related	Alash	1
		ofuce	Durability	mass	resistance		Resistance 8 Imperature	security	resistance	
		1	6	0	0	0	C	5	2	Į.
4.8.5 4.8.6	Direct coo Operation	number	rity mechanis	steps Im						
484 485 486 487 491 492 493 493 495 7	Direct coo Operation Torque re Resistanc Resistanc Resistanc Resistanc Torque re	number ling on l of secu sistance o to atta e to atta o to atta o to atta	r of identical ovy rity mechanis of plug and ick by drilling ick by chisel ick by twistin ick by plug/cy	steps or cylinder – grade 2 – grade 2 g – grade rindor orti	(key security (tostod witho action – grad nt to attack re	iut security			cur ity escut	chean (Med)
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.5 7	Direct coo Operation Torque re Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc	numbe ing on l sistance o to atta e to atta o to atta sisteme	r of identical- wy rity mechanis of plug and ick by drilling ick by twistin ick by twistin ick by plug/cylin	steps im - grado 2 - grade 2 g - grade 2 g - grade rlindor octi der releva	(tested witho action – grad	iut occurity lo 2 sistance - (y adle 2 (beste	ad without se		
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.5 7	Direct coo Operation Torque re Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc	numbe ing on l sistance o to atta e to atta o to atta sisteme	r of identical- wy rity mechanis of plug and ick by drilling ick by twistin ick by twistin ick by plug/cylin	steps im - grado 2 - grade 2 g - grade 2 g - grade rlindor octi der releva	(tostod witho action – grad nt to attack re	iut occurity lo 2 sistance - (y adle 2 (beste	ad without se		
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.4 4.9.5 7 This s	Direct coo Operation Torque re Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc	numbe ling on li of secu- sistance o to atta- e to atta- c comp	r of identical- wy rity mechanis of plug and ick by drilling ick by twistin ick by twistin ick by plug/cylin	steps im - grado 2 - grade 2 g - grade 2 g - grade rlindor octi der releva	(tosted witho action – grad in to attack re sed only in Approv S. Will	int occurity lo 2 sistance - i conjunctio	grade 2 (beste on with Tes	ad without se	umber: 307	
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.4 4.9.5 7 This s Summ N. Pi Sense	Direct coc Operation Torque re Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resis	numbe ling on 1 of secu- sistance e to atta to atta to atta sistance ccomp med by incor	r of identical- wy rity mechanis of plug and ick by drilling ick by twistin ick by twistin ick by plug/cylin	im or cylinder – grade 2 g – grade 2 g – grade 2 g – grade 1 ninder oct der releva	(tested witho action – grad it to attack re- sed only in Approv S, Will Deputy	iet accurity Io 2 sistance - p conjunctii	grade 2 (beste on with Tes	ad without se	umber: 307	
4.9.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.4 4.9.5 7 This s Sum N. Pi Sent For	Direct ox Operation Torque re Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resist	number ing on I of secu- isstance o to atta- o to atta- sistemore comp ///// red by incor half of I	r of Identical - ally mechanis - of plug and act by drilling and act by drilling - act by this - act by plug - of plug / yling - annies and n	ing or cylinder - grade 2 g - grade 2 g - grade 2 g - grade 2 nust be u nust be u	(tested witho action – grad it to attack re- sed only in Approv S, Will Deputy	iet accurity Io 2 sistance - p conjunctii	grade 2 (beste on with Tes	ad without se	umber: 307	
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.3 4.9.3 7 This s This s Summ N.PI Senu * For Date in Testini	Direct ox Operation Torque re Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Resistanc Torque re Marking ummary a Marking Isbury* or Lost Eng and on be ssued: 15 ⁶	number sing on 1 of security estance of the security of the security of the security of the security sistemes and the security sistemes comp med by sincer half of I " June ut by E:	r of denical of With the second seco	steps im or cylinder - grade 2 - grade 2 grade 2 grade 2 indor oth der releva nust be i - nust be i - ngtonapt 1 gtonapt L	(tested witho action – grad in to attack re- sed only in Approv S. Will Deputy	iut socurity lo 2 sistance - y conjunctii 	grade 2 (leste on with Tes	ad without se	umber: 307	
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.3 4.9.3 7 This s This s Summ N.PI Senu * For Date in Testini	Direct oc Operation Resistance Resistance Resistance Resistance Resistance Torque te Marking aummary a aummary a aummary a sisbury' or Test Eng and on be ssued: 15 ^c g carried o	number sing on 1 of security estance of the security of the security of the security of the security sistemes and the security sistemes comp med by sincer half of I " June ut by E:	r of denical of With the second seco	steps im or cylinder - grade 2 - grade 2 grade 2 grade 2 indor oth der releva nust be i - nust be i - ngtonapt 1 gtonapt L	(tested without action – grad it to attack re- sed only in Approv. S. Will Doputy aboratories	iut socurity lo 2 sistance - y conjunctii 	grade 2 (leste on with Tes	ad without se	umber: 307	
4.8.5 4.8.6 4.8.7 4.9.1 4.9.2 4.9.3 4.9.4 4.9.5 7 This s This s Summ N. Pi Senic * For Date i: Testinia	Direct oc Operation Resistance Resistance Resistance Resistance Resistance Torque te Marking aummary a aummary a aummary a sisbury' or Test Eng and on be ssued: 15 ^c g carried o	number sing on 1 of security estance of the security of the security of the security of the security sistemes and the security sistemes comp med by sincer half of I " June ut by E:	r of denical of With the second seco	steps im or cylinder - grade 2 - grade 2 grade 2 grade 2 indor oth der releva nust be i - nust be i - ngtonapt 1 gtonapt L	(tested without action – grad it to attack re- sed only in Approv. S. Will Doputy aboratories	iut socurity lo 2 sistance - y conjunctii 	grade 2 (leste on with Tes	ad without se	umber: 307	



	ltem No.	Description	Finish
	DC60SN	Unity Euro Double Cylinder Key and Key (30/30mm), Satin Nickel	Satin Nickel (SN)
	DT60SN	Unity Euro Double Cylinder Key and Turn (30/30mm) , Satin Nickel	Satin Nickel (SN)
?	BT60SN	Unity Euro Double Cylinder, Turn and Release (30/30mm), Satin Nickel	Satin Nickel (SN)
•	DC70SN	Unity Euro Double Cylinder Key and Key (35/35mm), Satin Nickel	Satin Nickel (SN)
	DT70SN	Unity Euro Double Cylinder Key and Turn (35/35mm), Satin Nickel	Satin Nickel (SN)
	BT70SN	Unity Euro Double Cylinder, Turn and Release (35/35mm), Satin Nickel	Satin Nickel (SN)


	ltem No.	Description	Finish
	DC60PB	Unity Euro Double Cylinder Key and Key (30/30mm), Polished Brass	Polished Brass (PB)
	DT60PB	Unity Euro Double Cylinder Key and Turn (30/30mm), Polished Brass	Polished Brass (PB)
9	BT60PB	Unity Euro Double Cylinder, Turn and Release (30/30mm), Polished Brass	Polished Brass (PB)
0	DC70PB	Unity Euro Double Cylinder Key and Key (35/35mm), Polished Brass	Polished Brass (PB)
	DT70PB	Unity Euro Double Cylinder Key and Turn (35/35mm), Polished Brass	Polished Brass (PB)
	BT70PB	Unity Euro Double Cylinder, Turn and Release (35/35mm), Polished Brass	Polished Brass (PB)

	ltem No.	Description	Finish
	DC60AB	Unity Euro Double Cylinder Key and Key (30/30mm), Antique Brass	Antique Brass (AB)
	DT60AB	Unity Euro Double Cylinder Key and Turn (30/30mm), Antique Brass	Antique Brass (AB)
9	BT60AB	Unity Euro Double Cylinder, Turn and Release (30/30mm), Antique Brass	Antique Brass (AB)
0	DC70AB	Unity Euro Double Cylinder Key and Key (35/35mm), Antique Brass	Antique Brass (AB)
	DT70AB	Unity Euro Double Cylinder Key and Turn (35/35mm), Antique Brass	Antique Brass (AB)
	BT70AB	Unity Euro Double Cylinder, Turn and Release (35/35mm), Antique Brass	Antique Brass (AB)



Unity Cylinder Lock Set Ordering Procedure

06





14th Floor North Block, 77 Mu Xu Yuan Street, Nanjing 210007, P.R. CHINA Tel: +86.25.86932520 Fax: +86.25.86932510 Website: http://www.unityhardware.com http://unityhardware.en.alibaba.com Email: sales@unityhardware.com